

Food Additives & Contaminants

PART A: CHEMISTRY • ANALYSIS • CONTROL • EXPOSURE & RISK ASSESSMENT

**Applications of High Resolution Mass Spectrometry to
Food Safety**



Taylor & Francis
Taylor & Francis Group

Food Additives & Contaminants

Foreword	1303
Towards the quantification of residual milk allergens in caseinate-fined white wines using HPLC coupled with single-stage Orbitrap mass spectrometry <i>L. Monaci, I. Losito, F. Palmisano, M. Godula and A. Visconti</i>	1304
Analysis of water-soluble azo dyes in soft drinks by high resolution UPLC-MS <i>X. Liu, J.L. Yang, J.H. Li, X.L. Li, J. Li, X.Y. Lu, J.Z. Shen, Y.W. Wang and Z.H. Zhang</i>	1315
Evaluation of a rapid screening method for chemical contaminants of concern in four food-related matrices using QuEChERS extraction, UHPLC and high resolution mass spectrometry <i>M.S. Filigenzi, N. Ehrke, L.S. Aston and R.H. Poppenga</i>	1324
Development of a new screening method for the detection of antibiotic residues in muscle tissues using liquid chromatography and high resolution mass spectrometry with a LC-LTQ-Orbitrap instrument <i>D. Hurtaud-Pessel, T. Jagadeshwar-Reddy and E. Verdon</i>	1340
Quick screening of priority β -agonists in urine using automated TurboFlow TM -LC/Exactive mass spectrometry <i>T. Bernsmann, P. Fürst and M. Godula</i>	1352
Rapid detection of chloramphenicol in animal products without clean-up using LC-high resolution mass spectrometry <i>H. Xu, J. Zhang, J. He, J. Mi and L. Liu</i>	1364
Direct analysis of dithiocarbamate fungicides in fruit by ambient mass spectrometry <i>T. Cajka, K. Riddellova, P. Zomer, H. Mol and J. Hajslova</i>	1372
Rapid screening for pesticides using automated online sample preparation with a high-resolution benchtop Orbitrap mass spectrometer <i>Y. Shi, J.S. Chang, C.L. Esposito, C. Lafontaine, M.J. Berube, J.A. Fink and F.A. Espourteille</i>	1383
Practical considerations for the rapid screening for pesticides using ambient pressure desorption ionisation with high-resolution mass spectrometry <i>S.E. Edison, L.A. Lin and L. Parrales</i>	1393
Screening of plant toxins in food, feed and botanicals using full-scan high-resolution (Orbitrap) mass spectrometry <i>H.G.J. Mol, R.C.J. Van Dan, P. Zomer and P.P.J. Mulder</i>	1405
Quantitative analysis of mycotoxins in cereal foods by collision cell fragmentation-high-resolution mass spectrometry: performance and comparison with triple-stage quadrupole detection <i>V.M.T. Lattanzio, S. Della Gatta, M. Godula and A. Visconti</i>	1424
Application of hybrid linear ion trap-high resolution mass spectrometry to the analysis of mycotoxins in beer <i>J. Rubert, J. Mañes, K.J. James and C. Soler</i>	1438
Detection of a new <i>Fusarium</i> masked mycotoxin in wheat grain by high-resolution LC-Orbitrap TM MS <i>H. Nakagawa, K. Ohmichi, S. Sakamoto, Y. Sago, M. Kushiro, H. Nagashima, M. Yoshida and T. Nakajima</i>	1447
Evaluation of LC-high-resolution FT-Orbitrap MS for the quantification of selected mycotoxins and the simultaneous screening of fungal metabolites in food <i>S.M. Lehner, N.K.N. Neumann, M. Sulyok, M. Lemmens, R. Krska and R. Schuhmacher</i>	1457