

Food Additives & Contaminants

PART A:

CHEMISTRY • ANALYSIS • CONTROL • EXPOSURE & RISK ASSESSMENT



Taylor & Francis
Taylor & Francis Group

Food Additives & Contaminants: Part A

Volume 30

Number 9

September 2013

Contents

Survey of peanut levels in selected Irish food products bearing peanut allergen advisory labels <i>O.N. Robertson, J.O'B. Hourihane, B.C. Remington, J.L. Baumert and S.L. Taylor</i>	1467
Survey of South African fruit juices using a fast screening HILIC-MS method <i>M.A. Stander, W. Kühn and N.F. Hiten</i>	1473
A novel multi-commutated method for the determination of hydroxytyrosol in enriched foods using mercaptopropionic acid-capped CdTe quantum dots <i>E.J. Llorent-Martínez, L. Molina-García, M.L. Fernández-de Córdoba, J.L.M. Santos, S.S.M. Rodrigues and A. Ruiz-Medina</i>	1485
Acrylamide concentrations in potato crisps in Europe from 2002 to 2011 <i>S.J. Powers, D.S. Mottram, A. Curtis and N.G. Halford</i>	1493
Formation and mitigation of heterocyclic aromatic amines in fried pork <i>Y. Zhang, C. Yu, J. Mei and S. Wang</i>	1501
Dietary exposure of Hong Kong adults to fatty acid esters of 3-monochloropropane-1,2-diol <i>H.Y. Chung, S.W.C. Chung, B.T.P. Chan, Y.Y. Ho and Y. Xiao</i>	1508
Occurrence of flunixin residues in bovine milk samples from the USA <i>L.W. Kissell, R.E. Baynes, J.E. Riviere and G.W. Smith</i>	1513
Selective androgen receptor modulators: <i>in vitro</i> and <i>in vivo</i> metabolism and analysis <i>E. de Rijke, M.L. Essers, J.C.W. Rijk, M. Thevis, T.F.H. Bovee, L.A. van Ginkel and S.S. Sterk</i>	1517
Potential risk and sodium content of children's ready-to-eat foods distributed at major amusement parks in Korea <i>N.-Y. Lee, S.-Y. Park, Y.-M. Lee, S.-Y. Choi, S.-H. Jeong, M.-S. Chung, Y.-S. Chang, S.-H. Choi, D.-H. Bae and S.-D. Ha</i>	1527
Levels of lead, arsenic, mercury and cadmium in clays for oral use on the Dutch market and estimation of associated risks <i>N.M. Reeuwijk, W.N.M. Klerx, M. Kooijman, L.A.P. Hoogenboom, I.M.C.M. Rietjens and M.J. Martena</i>	1535
Uptake of arsenic species by turnip (<i>Brassica rapa</i> L.) and lettuce (<i>Lactuca sativa</i> L.) treated with roxarsone and its metabolites in chicken manure <i>L.X. Huang, L.X. Yao, Z.H. He, C.M. Zhou, G.L. Li, B.M. Yang and Y.F. Li</i>	1546
Dietary exposure and health risk assessment for 11 minerals and trace elements in Yaoundé: the Cameroonian Total Diet Study <i>M.-M. Gimou, U.R. Charrondière, J.-C. Leblanc, L. Noël, T. Guérin and R. Pouillot</i>	1556
Polycyclic aromatic hydrocarbons in milk powders marketed in Argentina and Brazil <i>V.A. García Londoño, L.P. García, V.M. Scussel and S. Resnik</i>	1573
Toxicokinetic model assessment on the dechlorination of dietary toxaphene CHB-62 into CHB-44 in Atlantic salmon (<i>Salmo salar</i> L.) <i>M.H.G. Berntssen, E.J. Lock, M.J. Zeilmaker and J.C.H. Van Eijkeren</i>	1581
Occurrence of selected perfluorinated alkyl acids in lunch meals served at school canteens in Italy and their relevance for children's intake <i>E. Dellatte, G. Brambilla, S.P. De Filippis, A. di Domenico, J. Pulkrabova, C. Eschauzier, S. Klenow, G. Heinemeyer and P. de Voogt</i>	1590
Analysis of the neurotoxin anisatin in star anise by LC-MS/MS <i>C. Mathon, B. Bongard, M. Duret, D. Ortelli, P. Christen and S. Bieri</i>	1598
Fatty acid esters of fumonisins: first evidence of their presence in maize <i>C. Falavigna, I. Lazzaro, G. Galaverna, P. Battilani and C. Dall'Asta</i>	1606
Mycotoxins in corn and wheat silage in Israel <i>J.A. Shimshoni, O. Cuneah, M. Sulyok, R. Krška, N. Galon, B. Sharir and A. Shlosberg</i>	1614

Fumonisin in plant-origin food and fodder – a review <i>M. Bryła, M. Roszko, K. Szymczyk, R. Jędrzejczak, M.W. Obiedziński and J. Sękul</i>	1626
Comparison of the sequestering properties of yeast cell wall extract and hydrated sodium calcium aluminosilicate in three <i>in vitro</i> models accounting for the animal physiological bioavailability of zearalenone <i>A. Yiannikouris, H. Kettunen, J. Apajalahti, E. Pennala and C.A. Moran</i>	1641
ESI-MS and MS/MS identification of the first ceramide analogues of fumonisin B ₁ mycotoxin from a <i>Fusarium verticillioides</i> culture following RP-HPLC separation <i>T. Bartók, Á. Szécsi, K. Juhász, M. Bartók and Á. Mesterházy</i>	1651
Determination of the variability of both hydrophilic and lipophilic toxins in endemic wild bivalves and carnivorous gastropods from the Southern part of Chile <i>R. Zamorano, M. Marín, F. Cabrera, D. Figueroa, C. Contreras, A. Barriga, N. Lagos and C. García</i>	1660