


AMERICAN JOURNAL
of
ENOLOGY AND VITICULTURE

VOLUME 64 *2013* NUMBER 1



PUBLISHED BY THE AMERICAN SOCIETY FOR ENOLOGY AND VITICULTURE

Since 1950

AMERICAN JOURNAL
of
ENOLOGY AND VITICULTURE

VOLUME 64 **2013** NUMBER 1

CONTENTS

Grapevine Crown Gall Suppression Using Biological Control and Genetic Engineering: A Review of Recent Research <i>A. Filo, P. Sabbatini, G.W. Sundin, T.J. Zabadal, G.R. Safir, and P.S. Cousins</i>	1 - 14
Sensory and Chemical Characterization of Phenolic Polymers from Red Wine Obtained by Gel Permeation Chromatography <i>F. Weber, K. Greve, D. Durner, U. Fischer, and P. Winterhalter</i>	15 - 25
N, P, and K Supply to Pinot noir Grapevines: Impact on Vine Nutrient Status, Growth, Physiology, and Yield <i>R.P. Schreiner, J. Lee, and P.A. Skinkis</i>	26 - 38
Sparkling Wines Produced from Alternative Varieties: Sensory Attributes and Evolution of Phenolics during Winemaking and Aging <i>L. Martínez-Lapuente, Z. Guadalupe, B. Ayestarán, M. Ortega-Heras, and S. Pérez-Magariño</i>	39 - 49
Leaf Blade versus Petiole Analysis for Nutritional Diagnosis of <i>Vitis vinifera</i> L. cv. Tempranillo <i>I. Romero, E. García-Escudero, and I. Martín</i>	50 - 64
Mechanical Canopy and Crop-Load Management of Pinot gris in a Warm Climate <i>J.P. Geller and S.K. Kurtural</i>	65 - 73
Impact of Exogenous Abscisic Acid on Vine Physiology and Grape Composition of Cabernet Sauvignon <i>G. Balint and A.G. Reynolds</i>	74 - 87
Predicting Berry Quality Attributes in cv. Xarel·lo Rain-Fed Vineyards Using Narrow-Band Reflectance-Based Indices <i>C. González-Flor, L. Serrano Porta, and G. Gorchs Altarriba</i>	88 - 97
Effect of Winery Yeast Lees on Touriga Nacional Red Wine Color and Tannin Evolution <i>A. Rodrigues, J.M. Ricardo-Da-Silva, C. Lucas, and O. Laureano</i>	98 - 109
Evaluation of Nonvolatile Flavor Compounds in Vidal Icewine from China <i>K. Tang, J.M. Li, B. Wang, L. Ma, and Y. Xu</i>	110 - 117
Sensory and Compositional Characteristics of Blanc Du Bois Wine <i>E. Dreyer, C. Sims, R. Rouseff, D. Gray, and M. Sipowicz</i>	118 - 125
Glucose and Ethanol Tolerant Enzymes Produced by <i>Pichia</i> (<i>Wickerhamomyces</i>) Isolates from Enological Ecosystems <i>T. Madrigal, S. Maicas, and J.J. Mateo Tolosa</i>	126 - 133

continued next page

Research Notes

Pruning Systems and Canopy Management Practice Interact on the Yield and Fruit Composition of Syrah

L. Fong Wessner and S.K. Kurtural134 -138

Comparison of Specific Real-Time PCR and Conventional Culture for Detection and Enumeration of *Brettanomyces* in Red Wines

C. Portugal and F. Ruiz-Larrea139 -145

Grape Seed Extract from Koshu Cultivar Antagonizes Dioxin-Induced Aryl Hydrocarbon Receptor Activation

T. Sugiyama, M. Kitamura, K. Sugita, T. Okuda, M. Hisamoto, and A. Nakao146 -151

Selection for *Run1-Ren1* Dihybrid Grapevines Using Microsatellite Markers

C. Li, A. Erwin, D. Pap, C. Coleman, A.D. Higgins, E. Kiss, P. Kozma, S. Hoffmann, D.W. Ramming, and L.G. Kovács152 -155

New Synonyms and Homonyms for Cultivars from Northwestern Spain

E. Díaz-Losada, A. Tato Salgado, I. Orriols-Fernández, A.M. Ramos-Cabrer, and S. Pereira-Lorenzo156 -162

Resveratrol Productivity of Wild Grapes Native to Japan: *Vitis ficifolia* var. *lobata* and *Vitis ficifolia* var. *ganebu*

S. Shiozaki, T. Nakamura, and T. Ogata163 -168