

May 2010 • Volume 90 • Issue No 7 • ISSN 0022-5142 Published online in Wiley Interscience 9 March—29 March 2010

Science of Food and Agriculture

www.interscience.wiley.com/jsfa





Journal of the SCI and Agricult



Volume 90 Issue No 7 May 2010 www.interscience.wiley.com/jsfa

Research Articles

| Stevia rebaudiana Bertoni extract supplementation improves lipid and carnitine profiles in C57BL/6J mice fed a high-fat diet J-E Park and Y-S Cha (Korea) | 1099 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Development of a sensitivity-improved immunoassay for the determination of carbaryl in food samples T Dong, J Sun, B Liu, Y Zhang, Y Song and S Wang (China) | 1106 |
| The influence of small- and large-scale composting on the dissipation of pesticide residues in a biopurification matrix T De Wilde, C Debaer, J Ryckeboer, D Springael and P Spanoghe (Belgium) | 1113 |
| Consumer acceptance of fresh blueberries in bio-based packages E Almenar, H Samsudin, R Auras and J Harte (USA) | 1121 |
| Hypolipidaemic and hepatoprotective effects of ethanolic and aqueous extracts from <i>Asparagus officinalis</i> L. by-products in mice fed a high-fat diet X Zhu, W Zhang, J Zhao, J Wang and W Qu (China) | 1129 |
| Effect of different iron compounds on wheat and gluten-free breads A Kiskini, M Kapsokefalou, S Yanniotis and I Mandala (Greece) | 1136 |
| Identification of key odor volatile compounds in the essential oil of nine peach accessions I Eduardo, G Chietera, D Bassi, L Rossini and A Vecchietti (Italy) | 1146 |
| Digestibility of silages in relation to their hydroxycinnamic acid content and lignin composition A Taboada, E Novo-Uzal, G Flores, M Loureda, A Ros Barceló, A Masa and F Pomar (Spain) | 1155 |
| Deposition of carotenoids in egg yolk by short-term supplement of coloured carrot (<i>Daucus carota</i>) varieties as forage material for egg-laying hens M Hammershøj, U Kidmose and S Steenfeldt (Denmark) | 1163 |
| Absorption and tissue distribution of dietary quercetin and quercetin glycosides of apple skin in broiler chickens HPV Rupasinghe, CM Ronalds, B Rathgeber and RA Robinson (Canada) | 1172 |
| Enzymatic synthesis of glycosylated puerarin using maltogenic amylase from <i>Bacillus stearothermophilus</i> expressed in <i>Bacillus subtilis</i> C-H Choi, S-H Kim, J-H Jang, J-T Park, J-H Shim, Y-W Kim and K-H Park (Korea) | 1179 |
| Potential of <i>Amaranthus cruentus</i> BRS Alegria in the production of flour, starch and protein concentrate: chemical, thermal and rheological characterization DR Tapia-Blácido, PJA Sobral and FC Menegalli (Brazil) | 1185 |





SCI Journal of the Science of Food and Agriculture

www.interscience.wiley.com/jsfa

| Contents continued | Rese |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Characterization of fermented black soybean natto inoculated with <i>Bacillus natto</i> during fermentation Y Hu, C Ge, W Yuan, R Zhu, W Zhang, L Du and J Xue (China) | 1194 |
| Changes in inulin and soluble sugar concentration in artichokes (<i>Cynara scolymus L.</i>) during storage G Leroy, JF Grongnet, S Mabeau, DL Corre and C Baty-Julien (France) | 1203 |
| Thiophene occurrence in different <i>Tagetes</i> species: agricultural biomasses as sources of biocidal substances I Marotti, M Marotti, R Piccaglia, A Nastri, S Grandi and G Dinelli (Italy) | 1210 |
| Fibrolytic potential of anaerobic fungi (<i>Piromyces</i> sp.) isolated from wild cattle and blue bulls in pure culture and effect of their addition on <i>in vitro</i> fermentation of wheat straw and methane emission by rumen fluid of buffaloes SS Paul, SM Deb, BS Punia, D Singh and R Kumar (India) | 1218 |
| Influence of dehulling on the apparent metabolisable energy and ileal amino acid digestibility of grain legumes for broilers CL Nalle, G Ravindran and V Ravindran (New Zealand) | 1227 |
| Effects of lipase, lipoxygenase, peroxidase and free fatty acids on volatile compound found in boiled buckwheat noodles T Suzuki (Japan), S-J Kim (Korea), Y Mukasa, T Morishita, T Noda, S Takigawa, N Hashimoto, H Yamauchi and C Matsuura-Endo (Japan) | 1232 |
| Antioxidant properties, radical scavenging activity and biomolecule protection capacity of flavonoid naringenin and its glycoside naringin: a comparative study M Cavia-Saiz, MD Busto, MC Pilar-Izquierdo, N Ortega, M Perez-Mateos and P Muñiz (Spain) | 1238 |
| Vitamin C, total phenolics and antioxidative activity in tip-cut green beans (<i>Phaseolus vulgaris</i>) and swede rods (<i>Brassica napus var. napobrassica</i>) processed by methods used in catering P Baardseth, F Bjerke, BK Martinsen and G Skrede (Norway) | 1245 |
| Influence of low-level supplementation of grazing dairy cows with cereals or sugar beet pulp on the concentrations of CLA isomers in milk M Renna, M Collomb, A Münger and U Wyss (Switzerland) | 1256 |
| Common aroma-active components of propolis from 23 regions of China C Yang, L Luo, H Zhang, X Yang, Y Lv and H Song (China) | 1268 |