Australian Journal of Grape and Wine Research

Volume 14, Number 3, 2008

Contents

Influence of trellis system and shoot positioning on light interception and distribution in two grapevine cultivars with different architectures: an original approach based on 3D canopy modelling ____ 143
G. Louarn, J. Dauzat, J. Lecoeur and E. Lebon

Flavonol composition of Australian red and white wines determined by high-performance liquid chromatography ____ 153
D.W. Jeffery, M. Parker and P.A. Smith

Relationships between wine phenolic composition and wine sensory properties for Cabernet Sauvignon (*Vitis vinifera* L.) ____ 162
H.E. Holt, I.L. Francis, J. Field, M.J. Herderich and P.G. Iland

Effect of reduced irrigation on growth, yield, ripening rates and water relations of Chardonnay vines grafted to five rootstocks ____ 177
R.M. Stevens, J.M. Pech, M.R. Gibberd, R.R. Walker, J.A. Jones, J. Taylor and P.R. Nicholas

Relationships between berry size, berry phenolic composition and wine quality scores for Cabernet Sauvignon (*Vitis vinifera* L.) from different pruning treatments and different vintages ____ 191
H.E. Holt, I.L. Francis, J. Field, M.J. Herderich and P.G. Iland

Observations on the morphology and development of star flowers of *Vitis vinifera* L. cvs Chardonnay and Shiraz ____ 203
M.L. Longbottom, P.R. Dry and M. Sedgley

Effect of winemaking process and addition of white grapes on the sensory and physicochemical characteristics of young red wines ____ 211
I. Etaio, F.J.P. Elortondo, M. Albisu, E. Gaston, M. Ojeda and P. Schlich

ISSN 1322-7130

© 2008 Australian Society of Viticulture and Oenology Inc.

Identification of and relationships among a number of *teinturier* grapevines that expanded across Europe in the early 20th century ____ 223
J.L. Santiago, I. González, P. Gago, V. Alonso-Villaverde, S. Boso and M.C. Martínez

Yeast strain affects 3-isopropyl-2-methoxypyrazine concentration and sensory profile in Cabernet Sauvignon wine ____ 230
G.J. Pickering, M. Spink, Y. Kotseridis, D. Inglis, I.D. Brindle, M. Sears and A.-L. Beh

Impact of ascorbic acid on the oxidative colouration and associated reactions of a model wine solution containing (+)–catechin, caffeic acid and iron ____ 238
A.C. Clark, F. Pedretti, P.D. Prenzler and G.R. Scollary

Modelling variety-dependent dynamics of soluble solids and water in berries of *Vitis vinifera* ____ 250
V.O. Sadras, M. Collins and C.J. Soar

Effect of ellagitannins, ellagic acid and volatile compounds from oak wood on the (+)-catechin, procyanidin B1 and malvidin-3-glucoside content of model wines ____ 260
A.M. Jordão, J.M. Ricardo-Da-Silva, O. Laureano, W. Mullen and A. Crozier